

Plant List

Reading Registered Office

Unit 12C, Exeter Way Theale Commercial Estate Reading, Berkshire, RG7 4AW

T 0118 930 3003 F 0118 932 3256 E thealefactory@celloglas.co.uk

Leicester

Unit 6, Meridian West Meridian Business Park Leicester, LE19 1WX

T 0116 263 1010 F 0116 263 1111 E leicesterfactory@celloglas.co.uk

Leed

Units C7/C8, Cross Green Garth Cross Green Industrial Estate Leeds, LS9 OSF

T 0113 249 0056 F 0113 235 1530 E leedsfactory@celloglas.co.uk

www.celloglas.co.uk



Contacts

Leeds

Guy Beaumont - Production Manager
Ian Smith - Operations Manager
Loren Adams - Client Service Executive
Melanie Hartley - Client Service Executive
Richard Pinkney - (Site Director) Group, Business Development Director

Leicester

Adam Evans - Factory Manager
Nick Phillip - Production Manager
Nicola Brooks - Administrator
Peter Roe - Senior Client service
Paul Smith - Client Service Executive
Darren Matthews - Foiling Manager
Jordan Stapleford - Client Service Executive
John Locke - Group Technical and Operations Manager
Steve Middleton - (Site Director) Group Sales Director

Reading

Steve Mundy - Works Manager

Nelson Luis - Foiling Manager

Ian Fergusson - Commercial Director

Anne Cowen - Administration

Peter Clayton - (Site Director) Group Finance Director

Sophie Maloney - Account Executive



Introduction

We are Celloglas. We add value to printed matter for brands, retailers and publishers; often working directly with printers, print management companies or designers. We offer a wide range of solutions including decoration, protection and enhancement. With three sites offering full UK coverage and a wealth of experience across a number of markets - we're the UK's largest print finisher.



Varnishing & Coating

3 x Sakurai Screen Spot

Maximum sheet size 720 x 1020mm | Minimum sheet size 450 x 310mm

Products

Spot Gloss / Matt UV | Re-Moist Gum | Fragrance Burst | Glitter UV & Waterbased | Silver & Gold Latex | Hi Build Spot UV | Pearlescent UV | Textured UV | Tinted UV (coloured varnish) | Photochromic | Glow in the Dark | Thermochromic

Notes

For best results please ensure all inks are fully dried. Most varnishes are intended as a decorative finish. Therefore, they can crack when folded or cut. Try to avoid putting UV varnish over creases or folds and away from trimmed edges. As UV varnish is a liquid which is cured (dries) by UV light, it should be applied to coated substrates or over lamination. Flexo coating is a print process. We therefore need a grip and sidelay to maintain accurate register. We need a solid black, imposed single spot file to make a screen with register marks.

Sites

Reading & Leicester

2 x Sakurai – Maestro 102

Maximum sheet size 1050 x 750mm | Minimum sheet size 450 x 320mm

Products

Gloss/Matt/Silk | Hi-Build UV – Gloss/Matt | Stipple Varnish | Remoist Gum | Silver Latex / Gold Latex | Glow in the Dark | Photochromic | Thermochromic | Wet and Reveal | Chill and Reveal | Glitter UV | Pearlescent Varnish | Fragrance Burst

Sites

Leeds

Heidelberg 102 Dual Coater

Maximum sheet size 720 x 1050mm | Minimum sheet size 340 x 480mm

Products

Overall Gloss / Matt UV & Waterbased | Spot Gloss / Matt UV & Waterbased | Re-Moist Gum | Pearlescent UV | Fragrance Burst | Creasing / Perfing | Tinted UV (coloured varnish) | Velvet Coating | Textured UV | Gritty Matt

Sites

Leicester



Varnishing & Coating

1 x Tymi – Hot air and UV curing

Maximum sheet size 740 x 1020mm | Minimum sheet size 450 x 320mm

Producto

Overall Varnishing – Gloss / Matt / Soft Touch / Gritty Matt | Spot Varnish – Gloss / Matt / Soft Touch | Blister Coating | DigiPrime coatings

Sites



Roller Coat UV

Steineman Colibri

Maximum sheet size 720 x 1020mm | Minimum sheet size 450 x 310mm

Products

Gloss Rollercoat UV | Gloss Packaging Rollercoat UV (Glueable) | Cellotex | Matt Rollercoat UV

Sites

Reading



Foiling

4 x SBL 102 Foiling Machine

Maximum sheet size 720 x 1050mm | Minimum sheet size 450 x 320mm

Products

Foil Blocking (see swatch for colours including holographic) | Emboss / Deboss | Fluted | Die Cutting / Creasing / Perfing

Sites

Reading & Leicester

Johannisberg

Maximum sheet size 740 x 1020mm | Minimum sheet size 450 x 320mm

Products

Foil blocking (see swatch for colours including holographic)

Sites

Reading

2 x Saroglia

Maximum sheet size 720 x 520mm | Minimum sheet size 225 x 160mm

Products

Foil blocking (see swatch for colours including holographic) | Emboss / Deboss | Fluted | Die Cutting / Creasing / Perfing

Sites

Leicester & Leeds

Heidelberg Platen

Maximum sheet size 720 x 520mm | Minimum sheet size 225 x 320mm

Products

Foil blocking (see swatch for colours including holographic)

Sites

Reading



Die Cutting

Sanwa Flat bed die cutter

Maximum sheet size 1060 x 740mm | Minimum sheet size 400 x 330mm

Products

Foil Blocking (see swatch for colours including holographic) | Emboss / Deboss | Fluted | Die Cutting / Creasing / Perfing

Sites

Reading & Leicester

Saroglia

Maximum sheet size 560 x 740mm | Minimum sheet size 225 x 160mm

Products

Foil blocking (see swatch for colours including holographic)

Sites

Reading

2 x B2 Heidelberg Cylinders

Maximum sheet size 760 x 540mm | Minimum sheet size 320 x 225mm

Products

Die cutting | Embossing | Debossing

Sites

Leeds

Brausse – Flat bed die cutter

Maximum sheet size 1050 x 750mm | Minimum sheet size 510 x 360mm

Products

Die cutting | Embossing | Debossing

Sites



Die Cutting

Windmill platen

Maximum sheet size 450 x 320mm | Minimum sheet size 225 x 160mm

Products

Die cutting | Embossing | Debossing

Sites

Leeds

Hand fed platen

Maximum sheet size 1230 x 830mm | Minimum sheet size A7

Products

Die cutting | Embossing | Debossing

Sites



Lamination

KDX: Water and Thermal based adhesive (Wet)

Maximum sheet size 1220 x 1650mm | Minimum sheet size 390 x 500mm

Products

Gloss / Matt / Silk OPP wet or dry | Cellogreen Matt / Gloss | Pearlescent UV | Holographic | Semitone | Soft Touch | Anti Scuff Lamination - Matt / Gloss | Polyester film | Coloured Film | Textured Lamination | Hot Knife

Sites

Reading

AUTOBOND: Thermal based adhesive

Maximum sheet size 1020 x 720mm | Minimum sheet size 450 x 320mm

Notes

Please call for any special requirements.

Sites

Reading

Ecotack Laminator

Maximum sheet size 1020 x 1400mm | Minimum sheet size 225 x 320mm

Products

Gloss / Matt / Silk OPP wet or dry | Cellogreen Matt / Gloss | Pearlescent UV | Holographic | Semitone | Soft Touch | Anti-Scuff Lamination Matt / Gloss | Coloured Film | Textured Lamination

Sites

Leicester

EK102 Billhofer Laminator

Maximum sheet size 1400 x 1050mm | Minimum sheet size 225 x 320mm

Products

Gloss / Matt / Silk OPP wet or dry | Cellogreen Matt / Gloss | Pearlescent UV | Holographic | Semitone | Soft Touch | Anti-Scuff Lamination Matt / Gloss | Coloured Film | Textured Lamination

Sites

Leicester



Lamination

Billhofer FK76 Laminator

Maximum sheet size 720mm x 320mm | Minimum sheet size 225 x 320mm

Products

Gloss / Matt / Silk OPP wet or dry | Cellogreen Matt / Gloss | Pearlescent UV | Holographic | Semitone | Soft Touch | Anti-Scuff Lamination Matt / Gloss | Coloured Film | Textured Lamination

Sites

Leicester

EK76 Billhofer water based laminator

Maximum sheet size 740 x 1020mm | Minimum sheet size 320mm x 225mm

Products

Gloss / Matt / Silk OPP wet or dry | Soft Touch Lamination | Linen Lamination / Nylon | Cellolux | Holographic | Anti-Scuff Lamination | Cellogreen – Gloss / Matt / Silk

Notes

Please allow for 10mm print and sealer free around all four edges. For best results ensure the print is fully dry. The final finish of the lamination will depend upon the surface of the material. The smoother the surface, the better the result. Try to minimise spray powder and paper debris.

Sites

Leeds

EK102 Billhofer water based laminator

Maximum sheet size 1420x1050mm | Minimum sheet size SRA4

Products

Gloss / Matt / Silk OPP wet or dry | Soft Touch Lamination | Linen Lamination / Nylon | Cellolux | Holographic | Anti-Scuff Lamination | Cellogreen – Gloss / Matt / Silk

Sites



Lamination

Paperplas 102 Double sided thermal laminator

Maximum sheet size 1020 x 1400mm | Minimum sheet size SRA3

Products

Gloss / Matt / Silk OPP wet or dry | Soft Touch Lamination | Linen Lamination / Nylon | Cellolux | Holographic | Anti-Scuff Lamination | Cellogreen – Gloss / Matt / Silk

Sites



Board to Board Laminating

Lamina

Maximum sheet size 1600 x 2000mm | Minimum sheet size 350 x 350mm

Sites Reading



Guillotine

Polar 137

Maximum sheet size 1295mm x 1200mm

Sites Reading

Polar 115 x 2

Maximum sheet size 1150mm x 1150mm

Sites

Leicester & Leeds



Forme Making

1 x Sunray - Xenon Mega X5 Lazer

Maximum sheet size 1295 x 1200mm

Sites Leeds

1 x Auto bender

Maximum sheet size 1150 x 1150mm

Sites Leeds



Folder Gluer

1 x Moll Vantage

Products

Capacity Wallets | Non-capacity Wallets | Tent Cards | Table Talkers | Maltese Crosses | Double-sided Tape | Board Envelopes | Key Wallets | Ticket Wallets | Gift Card Wallets | Cartons – Straight line | Cartons – Crash lock | Peelable Glue

Sites

Leeds to Reading

2 x Kama ProFold 76

Products

Capacity Wallets | Non-capacity Wallets | Tent Cards | Table Talkers | Maltese Crosses | Double-sided Tape | Board Envelopes | Key Wallets | Ticket Wallets | Gift Card Wallets | Cartons – Straight line | Cartons – Crash lock | Peelable Glue

Sites

Leeds

4 x Hot Melt systems

Products

Capacity Wallets | Non-capacity Wallets | Tent Cards | Table Talkers | Maltese Crosses | Double-sided Tape | Board Envelopes | Key Wallets | Ticket Wallets | Gift Card Wallets | Cartons – Straight line | Cartons – Crash lock | Peelable Glue

Sites

Leeds

2 x Cold Melt systems

Products

Capacity Wallets | Non-capacity Wallets | Tent Cards | Table Talkers | Maltese Crosses | Double-sided Tape | Board Envelopes | Key Wallets | Ticket Wallets | Gift Card Wallets | Cartons – Straight line | Cartons – Crash lock | Peelable Glue

Sites



Folder Gluer

1 x Bobust Diana

ProductsStraight line glued cartons / crash lock cartons

Sites Leeds



Transport

4 x 26 tonne Lorries

Sites

Reading, Leicester & Leeds

1 x 18 tonne Curtain Side with tail lift

Sites

Leicester to Reading

4 x 7.5 tonne

Sites

Reading, Leicester & Leeds

1 x transit

Sites